

































## CAYPELS EQUIPMENT INVENTORY WHEELCHAIRS, STROLLERS & BASES







Item Name	Description	Quantity	Item Image
Adaptive Star Axiom Improv 2 Stroller	A 3 wheeled stroller which handles well over rough terrain. A swivel wheel assembly replaces the front wheel quickly and easily without tools, and give the chair two turning front wheels for increased manouverability. Weight limit for Improv 2 68 kgs	1	
Advance Mobility Liberty Pushchair	A lightweight, folding frame stroller suitable for children. Feature a reclining seat, adjustable three- point hip belt, padded seat back, multi- position sun canopy, storage basket, rear wheel parking, four wheels with lockable front swivel wheels, handbrake with parking button, and large footplate. 45 kg capacity Not designed for jogging.	1	
Ankle Huggers	Body Point ankle Huggers. Variety of sizes	7	
Body Point Joystick Handle - 6" Flex-Shaft	Body Point Joystick Handle PC104B 6" Flex-Shaft, for Ø1/4" Stem	2	
Body Point Joystick Handle - Aluminium Top Red	Body Point Joystick Handle PC109B-RED Aluminum Top, for Ø1/4" Stem, Red	2	
Body Point Joystick Handle - Ball Knob	Body Point Joystick Handle -Ball Knob, for Ø1/4" Stem	2	
Body Point Joystick Handle - Rubber Dome	Body Point Joystick Handle -PC107B Domed Rubber, for Ø1/4" Stem	2	







Body Point Joystick Handle - Rubber Grip	Body Point Joystick Handle - Rubber Grip	2	
Body Point Joystick Handle - Rubber Mushroom head	Body Point Joystick Handle PC108BL Mushroom Head Large Rubber, for Ø1/4" Stem - 918, 925 . PC108BS Mushroom Head Small Rubber, for Ø1/4" Stem - 911, 922	4	
Body Point Joystick Handle - U-Shaped	Body Point Joystick Handle - 4" Ergonomic U-Shaped, for Ø1/4" Stem. 3" Ergonomic U-Shaped, for Ø1/4" Stem	4	
Care Quip Manual Wheelchair	A folding, self propelling wheelchair with a height adjustable backrest, lift up armrests and swingaway removable legrests. It is fitted with a slotted rear axle plate which allows for rear wheel adjustment fore and aft and in height. Size 14"	1	
Convoid EZ Rider Stroller	A folding buggy / pushchair for larger children and small adults. It features adjustable height footplates, seat depth adjustment, lift up arms and a positioning belt. Purple Size 16	1	
Convoid EZ Rider Stroller	The convoid Rodeo is a lightweight foldable stroller / wheelchair with harness that allows for tilt-in-space, recline adjustment and can be fitted with lateral supports.	3	
Corzo Cross Country Stroller	CRX 34. A steel framed, four wheeled, folding buggy designed to accommodate one child, adolescent or adult between the approximate ages of 12 months and 21 years. Available in one model in a range of sizes. 34 cm w x 30 - 37 cm d, 35 cm w x 35 + cm d	2	







DX Attendant Controller	DX Attendant Controller. For use with P17, Rad Roller and Jerry Power wheelchairs	1	
DX Dynamic Programmer	Dynamic Programmer. For use with P17, Rad Roller and Jerry Power wheelchairs	2	
Evoke 2 Wheelchair	The Aspire 2 Evoke Wheelchair is a lightweight aluminium, self-propelled rear wheel drive wheelchair with a single cross bar folding frame. Features include angle and tension adjustable backrest, depth-adjustable seating, adjustable rear axle position, angle adjustable front castors and quick release rear wheels. 14" x 16", 12"	2	
Freedom CGX Tilt-in-Space Manual Wheelchair	Center-of-gravity tilt system with a cable-free design. The features include a tilt range from -10 to 50°; a tilt system that reduces caregiver strain and chair's overall footprint; is also transport ready. 12x14, 14x16, 16x18.	4	
Freedom NXT Tilt in Space Manual Wheelchair	A tilt-in-space wheelchair with folding frame, with self-propelling wheels. Supplied without a seating system - a seating system must be requested separately. This wheelchair has been crash tested according to WC-19 international standards. 16"	1	
Freedom SP3 Wheelchair with Freedom Seating system	This is a folding manual tilt in space wheelchair designed for use by children or adults. It is available with a folding or rigid frame with front wheel drive or rear wheel drive. The wheelchair is built to accommodate seating and positioning systems and is adjustable for growth. 14"	1	

Focus CR manual wheelchair	This manual wheelchair allows for tilt-in-space with an adjustable frame to suit a variety of seating systems. Both attendant and self propelled are available.	3	
Fuze T50 Manual wheelchair	A manual rigid rear wheel drive tilt in space wheelchair with an aluminium frame available in attendant propel. Adjustable seat width, depth and backrest angle. 16" x 17"	1	
Gizmo Wheelchair	The Gizmo is a children's wheelchair that can tilt in space up to 45 degrees. It is available as a folding or rigid frame with several castor and wheel size options. It has a variety of footrest options and back cane mounted armrest options. The frame comes with widths of 250mm to 460mm and seating depths of up to 510mm. 12"	1	
Glide Series 2 manual wheelchair	A lightweight, folding wheelchair with multiple axle positions, customised seating, and a full range of options. 862-867 with elevating leg rest, backrest extension & tray. Sizes 12"x12", 14"x14", 14"x16", 16"x16", 18"x18"	13	
Glide Centro	CentroGlide is a robust mid-wheel-drive power chair with tilt in space and customisable seating platform.	2	
Handheld Programmer for Ottobock Skippi	The Curtis Model 1311-4101 Handheld Programmer allows you to program, test, and diagnose Curtis Speed Controllers and Auxiliary Devices. For use with Ottobock Skippi #895	1	






<p>Harnesses</p>	<p>CAYPELS stocks a wide range of 2 and 4 point harnesses</p>		
<p>Invacare Compass Manual Wheelchair &amp; Synergy Cushion.</p>	<p>A sports style, lightweight, self propelled wheelchair featuring a folding, aluminium frame. Red 12"x14" with Synergy Cushion.</p>	<p>1</p>	
<p>Invacare MK6-HPP Power wheelchair Programmer</p>	<p>Invacare MK6-HPP Power wheelchair Programmer</p>	<p>1</p>	
<p>Invacare Orbit Manual Wheelchair</p>	<p>This manual wheelchair for children features tilt in space and a seat which detaches from the manual base. The seat frame is also able to be placed on a powered base. It features a flared front end for stability, an adjustable axle plate and adjustable seat depth. An optional growth kit enables adjustment of seat width.</p>	<p>1</p>	
<p>Invacare Spree GT Paediatric Manual Wheelchair</p>	<p>A rigid frame, manual wheelchair for children. It has a growth adjustable frame in depth and width. Features a curved track tilt in space mechanism and transport tie down options are standard. 12 &amp; 14"</p>	<p>2</p>	
<p>Jazz Easys Pushchair Frame</p>	<p>A lightweight, aluminium frame, folding four wheeled buggy with tilt in space, recline and adjustable positioning Sz 1 &amp; 2.</p>	<p>4</p>	





JCM TX Wheelchair Base	TX allows a flexible setup with easy adjustment of width, length and interface position. This level of adjustment ensures TX is able to grow and adapt to the changing needs of the user with ease. 16" w x 18" d	1	
Jerry Children's Power Wheelchair	A front wheel drive or rear wheel drive indoor and outdoor childrens powered wheelchair with tilt and elevation. Yellow	1	
Karma Manual Wheel Chair	Childs transit attendant propelled manual wheel chair. Fabric slung seat and back. 14 x 16"	1	
Kimba Multi-functional Seating Unit	A multi-adjustable seating insert that can be fitted to a range of mobility bases. The seat depth, width, height of the backrest and foot rests can be adjusted by the millimeter. It is available in two sizes and a range of accessories and options are available. Both Size 1 - 1043 (goes with Kimba Spring Stroller Base 1042)	1	
Kimba Neo Stroller Base	A four wheeled buggy with adjustable push bar, suspension, foot brake and wheel swivel locks. Size 2.	2	
Kimba Spring Stroller Base	Light weight stroller with a sprung seat system that reduces jolting on uneven surfaces and adjusts for the weight of the child. Size 1.	2	

<p>Krypto Ultra Light Children's Wheelchair</p>	<p>The "Krypto" pediatric wheelchair from Colours has an ultra lightweight rigid frame with folding backrest and infinite positioning, allowing it to meet any unique custom fit. Adjust-ability is built into the front seat height, rear seat height, backrest and center of gravity.</p>	<p>1</p>	
<p>Lasher Dasher Manual Wheelchair</p>	<p>A rigid magnesium frame paediatric wheelchair. It is available with 3-5 inches of seat depth growth, a backrest that can fold into the locked position and a carbon fibre angle adjustable footplate that can be positioned onto any point of the hanger.</p>	<p>1</p>	
<p>Maclaren Stroller</p>	<p>A lightweight, folding, aluminium buggy designed for use by children with disabilities. The front castors swivel for ease of manoeuvring. The stroller also features a detachable footplate which can be positioned at three different heights and a five point body harness. The back castors have locking brakes. Blue</p>	<p>2</p>	
<p>Mobility Plus Paediatric Manual wheelchair</p>	<p>Mobility Plus Rigid frame Paediatric Manual wheelchair with thigh guides, hip belt and H Harness 12" x 12" backrest 17"</p>	<p>1</p>	
<p>Moon Buggy Base</p>	<p>Moon Buggy Base: Ultra-lightweight aluminium stroller to fit the shuttle Discovery seating system designed especially for infants and toddlers between 6 months to 4 years</p>	<p>1</p>	
<p>Otto Bock Bravo Racer</p>	<p>A rear wheel drive, self propelled wheelchair with an aluminium frame for use by an active child or adolescent. The seat width and depth are adjustable to accommodate user growth. The backrest can be folded down. 26 cm</p>	<p>1</p>	

<p>Otto Bock Discovery Tilt In Space Wheelbase</p>	<p>A folding, adjustable, attendant operated, tilt in space wheelbase with attendant propelled wheels to which a seating system must be added. Size 1 &amp; 2</p>	<p>2</p>	
<p>Otto Bock Start M6 Junior Wheelchair</p>	<p>A manual wheelchair with a folding aluminium steel frame. It is self propelled using a rear wheel drive action and is suitable for children from four to eight years of age. A range of accessories is available. Can be customised. 12" &amp; 14"</p>	<p>2</p>	
<p>Otto Bock Skippi Powered Wheelchair</p>	<p>The Skippi powered wheelchair has a comfortable speed and has a high degree of manouverability. Both the arm and backrest can be adjusted to suit the child's size and shape. The Skippi grows with the child and it can be disassembled easily for transport.</p>	<p>1</p>	
<p>Permobil K450 Paediatric Power Wheelchair</p>	<p>A rear wheel drive, powered wheelchair with a powered lower and raise function that take the chair from eye level to ground level. It also has a 45 degree tilt in space function. It has four wheel suspension.</p>	<p>1</p>	
<p>Pixi Stroller</p>	<p>This pushchair for children has a folding frame and a contoured ergonomic seat with a high back and lateral supports. The backrest is able to recline, a one piece footplate. approximate age range of 3 to 12 years - Sz 1 (27 cm w - 25 cm d) &amp; 6 - 14 yrs Sz 2 (32 cm w x 35 cm d).</p>	<p>2</p>	
<p>Quickie 2 Manual Wheelchair</p>	<p>Lightweight folding sports style chair which offers great flexibility within the basic model plus a wide range of accessories. Has swing away legrests and removable armrests. Sizes 14x 14", 12 x 12""</p>	<p>2</p>	



<p>Quickie Iris Tilt in Space Manual Wheelchair</p>	<p>A rigid framed, aluminium alloy wheelchair with tilt in space function. Available in both rear wheel drive and transit models. The standard model features quick release wheels and is seat depth and width adjustable. 21" d 17" w.</p>	<p>1</p>	
<p>R82 Panther</p>	<p>A rear wheel drive, self propelled wheelchair for children with adjustable foot support, backrest and seat angle and a folding frame.</p>	<p>1</p>	
<p>Roller Rad Powered Wheelchair</p>	<p>A rigid frame, rear wheel drive electric wheelchair designed for use by children. Manual tilt in space and mag seating system. 13" Green</p>	<p>1</p>	
<p>Snazzi Stroller</p>	<p>A lightweight, aluminium frame, folding four wheeled push stroller for children aged 1 to 6 years. It features recline and tilt-in-space. It is crash tested and available in two sizes.</p>	<p>1</p>	
<p>Spex back rest and Seat pans</p>	<p>Spex seating systems are lightweight, strong, adjustable and easily installed to the wheelchair frame. The seat pan provides a solid base platform for cushions and has all the hole positions for mounting hip guides, armrests, and any other postural accessories. The backrests allow for addition of lateral and headrest support. Various sizes available including 14", 16" and 18" width</p>	<p>2</p>	

<p>Swiftly Pushchair</p>	<p>An aluminium framed, four wheeled buggy designed to accommodate a child. Available in one size. Features backrest recline, tilt-in-space and adjustable seat depth. Seat Depth 22 - 28.5cm, Seat Width 34cm</p>	<p>2</p>	
<p>TDX SP Powered Wheelchair &amp; Programmer</p>	<p>Mid wheel drive, purple steel frame, rigid powered wheelchair for children and adults. Suitable for indoor and outdoor use.</p>	<p>1</p>	
<p>Verve/ Phil &amp; Ted Shuttle Stroller</p>	<p>The Verve stroller is a four-wheeled stroller that can be used with the Shuttle Discovery seating system. Discovery Verve Stroller is transport certified (ISO 7176-19).</p>	<p>3</p>	
<p>Zippie TS manual wheelchair</p>	<p>A rigid frame self or attendant propelled wheelchair with an active 45 degree range of tilt in space. The lightweight aluminium base is adjustable so the tilt range can be adjusted 5 degrees forward or rearward. Available with one or two mechanical tilt locks, fixed or swingaway front frames. Body point hipbelt and Specs backrest. Sz 18" x 14"</p>	<p>1</p>	
<p>Zippie Zone manual wheelchair</p>	<p>A rigid, lightweight paediatric manual wheelchair made of aluminium. It is self propelled using a rear wheel drive action and is suitable for children and teenagers. The wheelchair is adjustable to accommodate growth in both seat width and depth. . Crash tested. Sz 11" x 11", 14" x 14"</p>	<p>2</p>	